

mirofeeds.co.nz

animal feed specialists

miromix Premium Calf Milk Replacer

NET WEIGHT 20kg

MIRO MIX is a casein based, water soluble complete calf milk replacer designed to rear calves to weaning.

MIRO MIX has the ideal protein/ fat ratio to aid digestion and promote essential rumen development.

TYPICAL ANALYSIS*

PROTEIN

24%

FAT

20%

INGREDIENTS SELECTED FROM

Whole Milk Powders, Skim Milk Powders, Nutritional Powders, Vitamin & Mineral Premix (0.5% w/w) including Sodium Lasalocid.

*Due to ingredient and seasonal variability, typical analysis should only be used as a guide only

FOR RUMINANT TREATMENT ONLY

Miromix contains an ionophore coccidiostat in the form of Bovatec* or Sodium Lasalocid to aid the control of coccidiosis (coccidio parasites) which can be fatal to calves. Bovatec* is a registered animal remedy under the ACVM act 1997 (#A009679), visit the MPI websites for use conditions and more specific information, including the Maximum Residue Limits (MRL).

WARNING: Do not allow dogs, horses, other equids or any other animal that are not referred to on this label access to feeds containing cocidiostats as ingestion by these species is toxic and may be fatal. Do not deviate from the feeding guidelines. Do not use at the same time as any other veterinary medicine or selenised product without consulting a veterinarian or qualified advise.



PRECAUTIONS: If dry Miromix is added to liquid milk, ensure vigorous agitation to the point of feeding as solubility can be lower.

WITHHOLDING PERIODS: Bovine; Meat: Nill, Milk: Nill. Caprine; Meat: Nill, Milk: Human consumption - 35 days following the last treatment.

STORAGE GUIDELINES

Store open bags of milkpowder in dry, cool and rodent free environments to avoid spoilage and contamination.

FEED ONLY TO CALVES NOT FOR HUMAN CONSUMPTION

MANUFACTURED FOR: MIRO FEEDS (NZ) LIMITED BATCH & SEE BASE OF BAG BEFIRY ZA MONTHS FROM DATE OF MANUFACTURE (SEE BASE OF BAG), FOR CONFIRMATION PLEASE CONTACT MIRO FEEDS



Leading Animal Nutrition for over 20 YEARS

FEEDING GUIDELINES

- In container add milkpowder to half the required volume of clean fresh warm water. Agitate to fully dissolve and mix to a smooth & creamy consistency.
- Top up to required volume with dean fresh water.
- Aim to feed milk at 38-40°C (body temperature). Use a thermometer if unsure.
- Feed calves from 4 days of age that have received adequate colostrum in the first 12-24 hours of life.
- Keep all feeding and mixing equipment clean and sterile.
- Good quality meal and clean water must be made available ad-lib at all times.

GENERAL FEEDING SCHEDULE

This is a broad guideline only based on minimum quantities required with good quality meal available at all times. MIRO MIX can be used in your own feeding process. More information can be found on the MIRO MIX Product Information Sheet

AGE Days	VOLUME PER FEED	GRAMS per feed
0-4	Colostrum fed ad-lib (Minimum 5)	itres/day)
5-10	2 litres twice per day @ 150g/litre	300g
Day 11	2 litres once per day @ 200g/litre	400g
Day 12	2 litres once per day @ 250g/litre	500g
Day 13 until wearing	2 litres once per day @ 300g/litre	600g

PLEASE CONTACT MIRO FEEDS
IF YOU HAVE ANY QUESTIONS.
sales@mirofeeds.co.nz



0800 MIROFEEDS (647 633) www.mirofeeds.co.nz